


A Trademark of Herzallee GmbH



Welcome to Fastplus Abrasives!

Fastplus originated from ABR Tools in Austria, the mother company has more than 30 years of coated abrasives production and OEM experience for some renowned brands in the industry. In order to serve our customers better, we found Herzallee GmbH as our sales branch in Germany to sell all Fastplus coated abrasive products to all European countries and the Oversea market.

Fastplus is growing fastly and becoming a trusted brand to sell factory-direct sanding, polishing and non-paint products online for the automotive repair applications, the uncompromising quality and competitive price make us stand out.



Factory-direct

22-year manufacturer of sanding abrasives, factory direct price & premium quality, no-middleman, delivery direct to you.



Car Expertise

Fastplus offers full collections of sanding and polishing solutions for car preparation, body-shop repair, finish protection.



B2C Mode

Fastplus has stocks in Germany, for individual EU customers, place orders online, your payment is 100% secured.



B2B Mode

Fastplus offers B2B mode for wholesale customers, please consult with our professional team for make-to-order demands.





Foam Finishing Discs Flexpro 150mm Velcro 15 pieces - Gray/Blue

Grit Options

P2000 P2500 P3000 P5000

3D Abrasive Structure over 3mm flexible foam pad



Foam Film Discs Soft*

150mm Velcro Multihole 15 pieces - Milky White

Grit Options

Soft film Backed with 3mm flexible foam back



Ceramic Sanding Discs

150mm Velcro Multi-hole 50 pieces - Orange

-					
	ptions				RAMIC
P80	P120	P150	P1	80	P220
P320	P400	P500	P6	00	



Ceramic Sanding Discs

150mm Velcro Multi-hole 50 pieces - Purple

Grit O				RAMIC
P40	P80	P120	P150	P180
P220	P320	P400	P800	



Spotfix Finishing Discs 32mm PSA for Spot Repair 500 pieces/Roll

Grit Options
P2000 P3000 P5000



Sanding Discs 150mm Velcro with 15 Holes 50 pieces - Gold

	ptions			
P40	P60	P80	P120	P180
P240	P320	P400	P600	P800



CeraMesh Net Discs Ceramic 150mm Velcro 50 pieces - Blue

Grit O	ptions		ČĚ	RAMIC
P80	P120	P150	P180	P240
P300	P400	P600		



PURO Film Sanding Discs 150mm Velcro with 15 Holes 50 pieces - Purple

Grit O	ptions	PŨ	र्हे दे	RAMIC
P180	P320	P600	P800	P1000
P1200	P1500	P2000		

B2C PRODUCT OVERVIEW

These Items are Stocked in GERMANY EU Order Online



Foam Sanding Pad Roll 115mmx25m/200 Tear-offs Flex-ultra Soft - Gold

Grit 0	ptions	GÕ	LD CE	RAMIC
P180	P240	P320	P400	P600
P800				



PSA Sandpaper Roll 70mmx18m Sticky Back for Longboard - Gold

	_			
Grit O	ptions	GÕ	TD 슅	RAMIC
P60	P80	P120	P150	P180
P240	P320			



fastplus.eu

Scan and Shop





Sandpaper Sheet 230x280mm Silicon Carbide

Colt Oction

10 pieces - Black

	ptions			
P80	P180	P240	P320	P400
P600	P800	1000	1500	2000



Sandpaper Sheet 230X280mm Aluminum Oxide 10 pieces - Red

Grit Options
P600 P800 P1200



Foam Masking Tape 13mmx50m for edge or gap masking 1-roll

Don't find the product for your sanding and polishing? Why not visit us for more products? fastplus.eu or email us: support@fastplus.eu for support!

CONTENTS











SANDING: Discs, Rolls, Sheets

F737	PURO Sanding Discs Multi-hole	5
FA88	ROXO Sanding Discs Multi-hole	7
F15	GOLD Sanding Discs	7
F65	BLUE Sanding Discs	10
F15R	GOLD PSA Sandpaper Roll	12
F737	PURO Sanding Sheet Roll	13
FSR6	GOLD Foam Sanding Pad Roll	14
FT77	PURO Film Sanding Discs	15
FN79	CeraMesh Net Sanding Discs	17
BN38	Wet or Dry Sandpapers S/C	20
BP37	Wet or Dry Sandpapers A/O	21







POLISHING: Soft Foam + Film + Abrasives for Fine Finishing

FF12 SOFT* Foam Film Discs Multi-hole 23 FF19 Flexpro Fine Finishing Foam Discs 25 FD8 Spotfix Daisy Discs for Spot Repair 27







ACCESSORIES: Masking Tape, Backing Pads, Interface Pads

EMT1	Soft Edge Foam Masking Tape	30
FAC01	Sanding Blocks	31
FBP1	150mm Backing Pad	32
FBP2	150mm Backing Pad Multi-hole	32
FIF1	150mm Interface Pad	33
FIF2	150mm Interface Pad Multi-hole	33














Coated Abrarsive Structure



1 Size Coat

② Mineral Grit

(3) Glue or Resin Bond (4) Backing

2. Structure

A coated abrasive is made up of four to five different components:

1. Backing Material 2. Maker Coat 3. Abrasive Grain

4. Size Coat 5. Optional Coat

1. Coated Abrasives

Coated abrasives, also known as flexible abrasives, are products that consist of a thin layer of abrasive grain attached to a substrate such as paper, cloth, etc. The substrate can have varying degrees of flexibility ranging from extremely flexible (E weight cotton backings) to extremely sturdy (Z weight polyester backings). These substrates are used as backings for different types of abrasives: rolls, belts, discs and sheet goods. Coated abrasives are manufactured using abrasive grains; the most common are aluminum oxide, zirconium, ceramic and silicon

carbide. The crude grains are crushed and separated into sizes, called grit sizes, using calibrated screens.

Grits range from 12 (very coarse) to 1200
(very fine). Once the grains are separated into sizes, they are attached to a backing material using various bond techniques. Compared with other grinding tools, coated abrasives have many advantages such as high

advantages such as high dimensional grinding accuracy, low grinding surface roughness, high grinding efficiency and wide processing range.

Ceramic Grain can be self-sharpening, the grains keep

sharpening, the grains keep sharp during the life time. It cuts faster, lasts longer than other grains.

Backing

a. Paper-backing:

Specialized technical papers are used as substrates for coated abrasives. Paper backings come in different paper weights, designated by letters (A, B, C, D, E, F), are available for different applications.

b. Cloth backing: Cloth backings come in various weights, from Stiffest to the most Flexible - (Y, X, J, F)

- **c. Film Backing:** Used most often for DA sanding discs for orbital sanders. The film backing is more durable than paper & can be used wet or dry.
- **d. Foam/Sponge Backing:** Foam backed abrasives provide an excellent option for sanding odd shapes, moldings, tight spaces and more. Abrasive sponges are flexible, waterproof and washable, meaning they can be reused, giving them a very long abrasive life.
- **e. Other Backing Options:** There are other backings such as Nonwoven, fiber and nylon, it depends on the tasks it will be used on.

4. Coating Types

Open coat: The abrasive grains cover approximately 50% to 70% of the coated surface of the backing. They offer greater flexibility, but are harsher cutting. Wood, soft metals and fiberglass sanding are typical applications for open-coat products. Semi-open Coat: it usually refers to about 30% reduction in the amount

of grains on the backing and generally cuts less aggressive and will finish coarser per grit than closed coat products. **Closed Coat:** The abrasive grains completely cover the coated surface of the backing. The greater number of abrading points per square inch causes faster stock removal during the use and produces a better finish than open-coat.

Grits	Extra fine									Fir	ne		Coarse Extra Coarse														
Table	Micro Fir Sandin								п	Inter- iediate anding				ı	Rou	gh S	h Sanding										
FEPA	_ P2000	- P1500	- P1200	- P1000	— P800	— P600	- P500	— P400	— P360	— P320	- P280	— P240	— P220	- P180	- P150	- P120	- P100	- P80	— P60	- P50	05d —	— P36	— P30	— P24	— P20	- P16	— P12





Fastplus: Self-sharpening Ceramic Grain

Fastplus "Self-sharpening" ceramic grain forms new cutting edges when the ceramic abrasive is broken to maintain continuous cutting and way more anti-clogging.



Fastplus Optimum Triangular-shaped Ceramic Grain >>

Fastplus provide faster cutting speed, clean cutting action and cooling grinding temperature, which extending the life of the disc.

Conventional Crushed Ceramic Grain

Conventional grains are irregularly lumpy, which results in generating excess heat during grinding



Conventional: Ploughing Action Grain


Conventional grains will only build up residue after crushing, creating a "ploughing surface" that generates more heat and can cause more clogging.


« Fastplus Sharp Tip for Efficient and Smooth Cutting

Fastplus ceramic grain is hard and sharp enough for the surface to realize fast and efficient cutting.

« Conventional Dull and Inefficient Grain

Conventional grains contacts the surface, it will become pulverized and dull, which greatly affects the grinding efficiency.







F737 PURO CERAMIC SANDING DISCS











Fastplus PURO ceramic sanding discs have hook-and-loop system and made of premium ceramic minerals, the ceramic grain is sharper to speed up the sanding and more durable to reduce frequent changeovers.

Fastplus ceramic abrasive discs have **super high removal rate and 30% longer service life**. Highly recommended for auto-body use, wood sanding, sanding of bare metal, primer, primer surface between coats of paint and on solid surface countertops.



F737 PURO CERAMIC SANDING DISCS





Made-to-Order: Items Available

Diameter Available:

150mm/6" 125mm/5"

Disc 150mm Holes Available:













Code: 15H









Code: XH

Disc 125mm Holes Available:













8+1 Holes Code: 9H

Ordering Code:

<u>ו</u> ס	<u>эп</u>	<u>400</u>	<u>U5U</u>
Size:	Holes:	Grits	Qty/Box
6:150mm	NH	P40	050:
, i	6H	P60	50pcs
	7H	P80	
	9H	P120	100:
	15H	P150	100pcs
	17H	P180	
	MH	P240	
	XM	P320	
5:125mm		P400	
D:125mm	NH	P500	
	5H	P600	
	8H	P800	
	9H	•	









Model: F737 PURO Sanding Discs Size: 150mm (6") Hook-and-loop

Grain: Ceramic Minerals Backing: C-wt Paper Coating: Open Coat Bond: Resin over Resin

Perforation: 119 Holes, Multi-hole Pattern


Color: Premium Purple

Fastening: Velcro for random orbital sanders

Grit Options: 40/60/80/120/150/180/240/320/400/600/800



Standard: PURO-150mm-119H					
Art. Number	Diameter	Grits	Qty/Box	Qty/Carton	
F7376MH040	150mm/6"	P40	50pcs	1500pcs	
F7376MH060	150mm/6"	P60	50pcs	1500pcs	
F7376MH080	150mm/6"	P80	50pcs	1500pcs	
F7376MH120	150mm/6"	P120	50pcs	1500pcs	
F7376MH150	150mm/6"	P150	50pcs	1500pcs	
F7376MH180	150mm/6"	P180	50pcs	1500pcs	
F7376MH240	150mm/6"	P240	50pcs	1500pcs	
F7376MH320	150mm/6"	P320	50pcs	1500pcs	
F7376MH400	150mm/6"	P400	50pcs	1500pcs	
F7376MH600	150mm/6"	P600	50pcs	1500pcs	
F7376MH800	150mm/6"	P800	50pcs	1500pcs	



F15 GOLD CERAMIC SANDING DISCS














Fastplus hook & loop sanding discs are made with premium ceramic alumina, come with different sizes, holes, grits and shapes, highly recommended for autobody use, wood sanding, sanding of bare metal, primer, primer surface, between coats of paint and on solid surface countertops.



F15 GOLD CERAMIC SANDING DISCS





Made-to-Order: Items Available

Diameter Available:

150mm/6" 125mm/5"

Disc 150mm Holes Available:







6 Holes



6+1 Holes



8+1 Holes Code: 9H







17 Holes Code: **17H**

Disc 125mm Holes Available:



Code: NH









8+1 Holes Code: 9H

Ordering Code:

F15	6 1	<u>15H</u>	<u>400</u>	050
	Size:	Holes:	Grits	Qty/Box
	6:	NH	P40	050:
	150mm	6H	P60	50pcs
		7H	P80	
		9H	P120	100:
		15H	P150	100pcs

5: 125mm

XM NH

17H

 MH

P180 P240 P320 P400 P500 P600 P800 P1200 P1500











Model: F15 GOLD Sanding Discs Size: 150mm (6") Hook-and-loop **Grain:** Ceramic Alumina Minerals

Backing: C-wt Paper Coating: Semi-open Coat Bond: Resin over Resin Perforation: 15 Holes Color: Premium Gold

Fastening: Velcro for random orbital sanders


Grit Options: P40-P1500

Standard: GOLD-150mm-15H

Art. Number	Diameter	Grits	Qty/Box	Qty/Carton
F15615H040	150mm/6"	P40	50pcs	1500pcs
F15615H060	150mm/6"	P60	50pcs	1500pcs
F15615H080	150mm/6"	P80	50pcs	1500pcs
F15615H120	150mm/6"	P120	50pcs	1500pcs
F15615H180	150mm/6"	P180	50pcs	1500pcs
F15615H240	150mm/6"	P240	50pcs	1500pcs
F15615H320	150mm/6"	P320	50pcs	1500pcs
F15615H400	150mm/6"	P400	50pcs	1500pcs
F15615H600	150mm/6"	P600	50pcs	1500pcs
F15615H800	150mm/6"	P800	50pcs	1500pcs



F15 GOLD CERAMIC SANDING DISCS





Made-to-Order: Items Available

Diameter Available:

125mm/5" 150mm/6"

Car

Disc 125mm Holes Available:











8+1 Holes

Disc 150mm Holes Available:







Code: 8H



No Hole 6 Holes Code: NH Code: 6H

6+1 Holes Code: 7H

8+1 Holes Code: 9H





17 Holes Code: **17H** 15 Hole Code: 15H

Ordering Code:

F15

<u>5</u> 8	<u>3H</u>	<u>400</u>	<u>050</u>
Size:	Holes:	Grits	Qty/Box
6:	NH	P40	050:
150mm	6H	P60	50pcs
	7H	P80	
	9H	P120	100:
	15H	P150	100pcs
	17H	P180	
	MH	P240	
	XM	P320	
		P400	
5:	NH	P500	
125mm	5H	P600	
	8H	P800	
	9H	P1200	
		P1500	
















Backing: C-wt Paper Coating: Semi-open Coat Bond: Resin over Resin **Perforation:** 8 Holes Color: Premium Gold


Fastening: Velcro for random orbital sanders

Grit Options: P40-P1500

Standard: GOLD-125mm-8H


Art. Number	Diameter	Grits	Qty/Box	Qty/Carton
F1558H040	125mm/5"	P40	50pcs	1500pcs
F1558H060	125mm/5"	P60	50pcs	1500pcs
F1558H080	125mm/5"	P80	50pcs	1500pcs
F1558H120	125mm/5"	P120	50pcs	1500pcs
F1558H180	125mm/5"	P180	50pcs	1500pcs
F1558H240	125mm/5"	P240	50pcs	1500pcs
F1558H320	125mm/5"	P320	50pcs	1500pcs
F1558H400	125mm/5"	P400	50pcs	1500pcs
F1558H600	125mm/5"	P600	50pcs	1500pcs
F1558H800	125mm/5"	P800	50pcs	1500pcs








Fastplus hook & loop sanding discs are made with premium ceramic alumina, come with different sizes, holes, grits and shapes, highly recommended for auto-body use, wood sanding, sanding of bare metal, primer, primer surface, between coats of paint and on solid surface countertops.



F65 BLUE CERAMIC SANDING DISCS





Made-to-Order: Items Available

Diameter Available:

150mm/6" 125mm/5"

Disc 150mm Holes Available:











6+1 Holes Code: 7H



8+1 Holes Code: 9H







17 Holes Code: **17H**

Disc 125mm Holes Available:













8+1 Holes Code: 9H

Ordering Code:

F65	<u>6</u> <u>1</u>	<u>15H</u>	<u>400</u>	<u>050</u>
	Size: 6:	Holes:	Grits P40	Qty/Box 050:
	150mm	6H 7H	P60 P80	50pcs

	9H	P120	100
	15H	P150	100
	17H	P180	
	MH	P240	
	XM	P320	
		P400	
5:	NH	P500	
125mm	5H	P600	
	8H	P800	
	9H	P1200	

P1500













Grain: Ceramic Alumina Minerals Backing: C-wt Paper Coating: Semi-open Coat Bond: Resin over Resin

Model: F65 BLUE Sanding Discs Size: 150mm (6") Hook-and-loop

Perforation: 15 Holes Color: Premium Blue

Fastening: Velcro for random orbital sanders

Grit Options: P40-P1500

Standard: BL				
Art. Number	Diameter	Grits	Qty/Box	Qty/Carton
F65615H040	150mm/6"	P40	50pcs	1500pcs
F65615H060	150mm/6"	P60	50pcs	1500pcs
F65615H080	150mm/6"	P80	50pcs	1500pcs
F65615H120	150mm/6"	P120	50pcs	1500pcs
F65615H180	150mm/6"	P180	50pcs	1500pcs
F65615H240	150mm/6"	P240	50pcs	1500pcs
F65615H320	150mm/6"	P320	50pcs	1500pcs
F65615H400	150mm/6"	P400	50pcs	1500pcs
F65615H600	150mm/6"	P600	50pcs	1500pcs



F15 GOLD PSA SANDPAPER ROLL























Model: F15 GOLD PSA Sandpaper Roll **Size:** 70mmx18m (2-3/4"x20yd)

Grain: Ceramic Alumina Minerals **Backing:** C-wt Paper + Adhesive

Coating: Semi-open Coat Bond: Resin over Resin Perforation: No Holes Color: Premium Gold

Fastening: PSA Sticky-back for Longboards, Sanding Blocks

Grit Options: P60-P800

Standard: F15-70mmx18m-PSA

10 rolls
10 rolls
20 rolls

Made-to-Order: Items Available

Size Available:

70mmx18m/2-3/4"x20yard


Ordering Code:

F15R 70 PSA 320

Grits
P60
P80
P120
P150
P180
P240
P320
P400
P500
P600
P800







F737 PURO CERAMIC SANDING SHEET ROLL 70MMX12M





Sheet Size: 70mmx70mm 2.75inx2.75in

Roll Size: 70mmx12m 2.75inx13.12yd



Made-to-Order: Items Available

Size Available:

70mmx12m/2-3/4"x13.12yard 115mmx12m/4-1/2"x13.12yard

Ordering Code:

F737 <u>70</u> VH <u>320</u>

	<u> </u>	<u> </u>
5	Size	Grits
7	7 0:	P60
7	0mmx12m	P80
		P120
1	115:	P150
1	I15mmx12m	P180
1		P240
		P320
		P400
		P500
		P600
_	_	P800
	-1	1













Model: F737 Ceramic Sandpaper Sheet Rolls

Size: 70mmx12m (2-3/4"x13.12yd)

Grain: Ceramic Minerals

Backing: C-wt Paper + Hook and Loop System

Coating: Open Coat **Bond:** Resin over Resin

Perforation: Chevron multi-hole pattern

Color: Premium Purple

Fastening: Velcro for Orbital Sanders, Sanding Blocks

70mmx12m


Grit Options: P80-P600

Standard: F15-70mmx18m-PSA						
Art. Number	Dimensions	Grits	Backing	Qty/Carton		
F73770VH080	70mmx12m	P80	Grip	20 rolls		
F73770VH150	70mmx12m	P150	Grip	20 rolls		
F73770VH180	70mmx12m	P180	Grip	20 rolls		
F73770VH220	70mmx12m	P220	Grip	20 rolls		
F73770VH320	70mmx12m	P320	Grip	20 rolls		
F73770VH400	70mmx12m	P400	Grip	20 rolls		

P600



F73770VH600



Grip

20 rolls




FSR6 GOLD FOAM SANDPAPER ROLL











Made-to-Order: Items Available

Size Available:

115mmx25m/4.5"x82ft

Ordering Code:

FSR6 11525 320

Grits
P180
P240
P320
P400
P600
P800











Sanding + Dust Clean

Model: FSR6 Soft Foam Sanding Pad Rolls

Size: 115mmx25m (Roll), 115mmx125mm (Pad)

Grain: Ceramic Alumina Minerals **Backing:** C-wt Paper + Foam/Sponge

Coating: Open Coat **Bond:** Resin over Resin

Perforation: Perforated Kiss-cut for easy-to-size

Color: Premium Gold

Fastening: Foam Backing for Hand Sanding/hand tools

Grit Options: P180-P800

Standard: FSR6-115mmx25m-GOLD


Art. Number	Dimensions	Grits	Backing	Qty/Carton
FSR611525180	115mmx25m	P180	Foam	1 rolls/200 pcs
FSR611525240	115mmx25m	P240	Foam	1 rolls/200 pcs
FSR611525320	115mmx25m	P320	Foam	1 rolls/200 pcs
FSR611525400	115mmx25m	P400	Foam	1 rolls/200 pcs
FSR611525600	115mmx25m	P600	Foam	1 rolls/200 pcs
FSR611525800	115mmx25m	P800	Foam	1 rolls/200 pcs





FILM BACKING SANDING DISCS

FT77 FILM CERAMIC SANDING DISCS





Made-to-Order: Items Available

Diameter Available:

150mm/6" 125mm/5"

Disc 150mm Holes Available:









17 Holes

Disc 125mm Holes Available:



Code: NH







Code: 8H



8+1 Holes Code: 9H

Ordering Code:

FT77

<u>6</u>	<u> 15H</u>	<u>400</u>	<u>050</u>
Size:	Holes:	Grits	Qty/Box
6:	NH	P40	050:
150mm	9H	P60	50pcs
	15H	P80	
	17H	P120	100:
		P150	100pcs
		P180	
5:	NH	P240	
125mm	6H	P320	
1	8H	P400	
	9H	P500	
		P600	
		P800	•
		P1000	
		D1300	

P1500

P2000











Model: FT77 PURO Film Sanding Discs Size: 150mm (6") Hook-and-loop


Grain: Ceramic Minerals Backing: PET Film Coating: Open Coat


Bond: Resin over Resin Perforation: 0-17 Holes Color: Premium Purple

Fastening: Velcro for random orbital sanders

Grit Options: P40-P2000

Standard: FT77-150mm-15H Art. Number Diameter Grits Qty/Box Qty/Carton FT77615H0180 150mm/6" P180 50pcs 1500pcs FT77615H0320 150mm/6" P320 50pcs 1500pcs FT77615H0600 150mm/6" P600 50pcs 1500pcs FT77615H0800 150mm/6" P800 50pcs 1500pcs FT77615H1000 150mm/6" P1000 50pcs 1500pcs FT77615H1200 150mm/6" P1200 50pcs 1500pcs FT77615H1500 150mm/6" P1500 50pcs 1500pcs FT77615H2000 150mm/6" P2000 50pcs 1500pcs











Made-to-Order: Items Available

Dimension Available:

Round Disc:



|225mm/9"||150mm/6"||125mm/5"|

Strips:



70x198mm 70x420mm

Ordering Code:

FN79

006

400

025 Qty/Box

Size: Grits 009: P80 225mm P120 P150 006: P180 150mm P240 P320 005: P400 125mm

25pcs 050: 50pcs 100: P600 100pcs

198: 70x198mm

420: 70x420mm

MESH & NET











Model: FN79 Net / Mesh Sanding Discs

Disc Size: 150mm (6") **Grain:** Ceramic Minerals

Backing: Knitted Fabric Net/Mesh

Coating: Open Coat Bond: Resin over Resin

Perforation: Net Matrix Holes

Color: Premium Blue

Fastening: Hook and Loop System

Max Speed: 15,000 rpm (5"), 3,200 rpm (6"), 1,500rpm (9")

Grit Options: P80-P600

CeraMesh Net Sanding Disc combines Premium Ceramic grain, Knitted Fabric Net or Mesh, and a hook & loop system. Instead of conventional aluminum oxide grain, the CeraMesh net sanding discs are coated with fully premium ceramic grains which are more aggressive and cut faster to boost sanding productivity and deliver outstanding abrasive performance with an excellent cut rate and life. It helps save labor force and material costs in the long run.

Standard: FN79-150mm						
Diameter	Grits	Qty/Box	Qty/Carton			
150mm/6"	P80	50pcs	1500pcs			
150mm/6"	P120	50pcs	1500pcs			
150mm/6"	P180	50pcs	1500pcs			
150mm/6"	P240	50pcs	1500pcs			
150mm/6"	P320	50pcs	1500pcs			
150mm/6"	P400	50pcs	1500pcs			
150mm/6"	P600	50pcs	1500pcs			
	Diameter 150mm/6" 150mm/6" 150mm/6" 150mm/6" 150mm/6" 150mm/6"	Diameter Grits 150mm/6" P80 150mm/6" P120 150mm/6" P180 150mm/6" P240 150mm/6" P320 150mm/6" P400	Diameter Grits Qty/Box 150mm/6" P80 50pcs 150mm/6" P120 50pcs 150mm/6" P180 50pcs 150mm/6" P240 50pcs 150mm/6" P320 50pcs 150mm/6" P400 50pcs			



WET & DRY SANDPAPER SHEETS

BN38 WET AND DRY S/C **SANDPAPER** SHEETS





Made-to-Order: Items Available

Size Available:

230x280mm/9"x11"

Grits Available:

P60	P80	P120	P150	P180	P240
P320	P400	P500	P600	P800	1000
1200	1500	2000	2500	3000	5000

Ordering Code:

BN38 2328 1000 010

<u> </u>	1000	<u> </u>
Size:	Grits	Qty/Box
2328:	P60	010:
230x280mm	P80	15pcs
	P120	
Made to Order	P150	025:
	P180	25pcs
	P240	
	P320	050:
	P400	50pcs
	P500	'
	P600	100:
	P800	100pcs
	P1000	
· 🙃	P1200	

P2000 P2500 P3000 P5000

Fastplus BN38 wet and dry sandpaper sheets is coated with premium Silicon Carbide Grains that are resin on resin bonded onto 30% latexbacked paper, which makes the sandpaper to achieve excellent waterproof ability.

- Silicon Carbide Grain, Extremely Long-lasting
- Quality Latex-Backed C-weight Paper
- Waterproof, Use Wet and Dry Conditions
- · Fast cutting and very resistant to clogging
- Grit Range Allows for Sharp Cut to Very Fine Finish
- Resists Heat with Great Grain Adhesion
- Best to be used with lubricants
- Closed coat structure for more material removal

Model: BN38 Wet-Dry Sandpaper **Technical Details** Size: 230x280mm/9"x11"

Grain: Silicon Carbide Backing: Latex-Backed C-weight Paper


Coating: Open Coat Bond: Resin over Resin

Color: Black

Grit Options: P60-P7000

Standard: BN38-230x280mm-P80-P2000

Art. Number	Dimension	Grits	Qty/Box	Qty/Carton
BN3823280080	230x280mm	P80	10pcs	500pcs
BN3823280180	230x280mm	P180	10pcs	500pcs
BN3823280240	230x280mm	P240	10pcs	500pcs
BN3823280320	230x280mm	P320	10pcs	500pcs
BN3823280400	230x280mm	P400	10pcs	500pcs
BN3823280600	230x280mm	P600	10pcs	500pcs
BN3823280800	230x280mm	P800	10pcs	500pcs
BN3823281000	230x280mm	P1000	10pcs	500pcs
BN3823281500	230x280mm	P1500	10pcs	500pcs
BN3823282000	230x280mm	P2000	10pcs	500pcs







BP37 WET AND DRY A/O **SANDPAPER** SHEETS





Made-to-Order: Items Available

Size Available:

230x280mm/9"x11"

Grits Available:

P60	P80	P120	P150	P180	P240
P320	P400	P500	P600	P800	1000
1200	1500	2000			

Ordering Code:

BP37 2328 1000 010

<u> </u>	1000	<u> </u>
Size:	Grits	Qty/Box
2328:	P60	015:
230x280mm	P80	15pcs
	P120	
Made to Order	P150	025:
	P180	25pcs
	P240	
	P320	050:
	P400	50pcs
	P500	
	P600	
	P800	

P1200 P1500 P2000





Fastplus BP37 Wet and Dry Sandpaper Sheets are made with premium Aluminium Oxide Grains that are resin on resin bonded onto 30% latex-backed paper to achieve exceptional watertight ability for wet sanding on lacquers, paint, body fillers, glass, metal, plastics, stone, and marble.

- Aluminium Oxide Grain, Long-lasting & Cost-effective
- · Quality Latex-Backed C-weight Paper
- Waterproof, Use Wet and Dry Conditions
- Fast cutting and very resistant to clogging
- Grit Range Allows for Rough Cut to Very Fine Finish
- Resists Heat with Great Grain Adhesion
- Closed coat structure for more material removal

Model: BP37 Wet-Dry Sandpaper **Technical Details** Size: 230x280mm/9"x11"


Grain: Aluminium Oxide

Backing: Latex-Backed C-weight Paper

Coating: Open Coat Bond: Resin over Resin Color: Red Abrasive Side Grit Options: P60-P2000

Standard: BN38-230x280mm-P80-P2000

Art. Number	Dimension	Grits	Qty/Box	Qty/Carton
BP3723280600	230x280mm	P600	10pcs	500pcs
BP3723280800	230x280mm	P800	10pcs	500pcs
BP3723281200	230x280mm	P1200	10pcs	500pcs





GLOSSLY POLISHING...



FF12 Soft FOAM FILM DISCS For Sanding Buffing & Refinishing







FF12 Soft FOAM + FILM DISCS





Made-to-Order: Items Available

Diameter Available:

150mm/6"

Holes Pattern Available:





No Hole

181 Holes Code: MH

Ordering Code:

FF12 <u>6</u>

Size: Holes: 150mm MH

240 015 Grits Qty/Box P240 P320 15pcs P400 P600 020: P800 20pcs P1000 P1200 P1500 P2000

P3000

Fastplus™ SOFT+ Foam Film Sanding Disc FF12 is an innovative integration of a flexible film sanding disc and soft foam backing pad, the foam disc delivers super soft and flexible sanding, polishing, and buffing results for fine finishing.

- Super soft sanding and polishing with even pressure
- Provide Consistent scratch depth and pattern with a better finish
- · No damage or over-sanding to treated surfaces
- · Super flexible for sanding and polishing on contour or curved surfaces
- Comfortable while sanding and polishing
- · Reduce the time on compound polishing
- · Washable and reusable for wet or dry sanding







Model: FF12 Soft+ Foam Film Discs **Size:** 150mm (6") + 3mm foam pad Grain: Silicon Carbide Minerals Backing: Foam + TPU Film

Coating: Open Coat Bond: Resin over Resin

Perforation: 181 Holes, Multi-hole Pattern

Color: Milky White

Fastening: Hook-and-loop for random orbital sanders

Grit Options: P240-P3000

Standard: FF12-150mm-181H Art. Number Diameter Grits Qty/Box Qty/Carton FF126MH1500 150mm/6" P1500 15pcs 450pcs FF126MH2000 150mm/6" P2000 15pcs 450pcs FF126MH3000 150mm/6" P3000 15pcs 450pcs







Flexpro

SUPERFINE DISCS

DESIGNED FOR CAR FINISHING





FF19 | Polishing & Buffing Discs

Flexpro SUPERFINE FINISHING FOAM DISCS | FF19





Made-to-Order: Items Available

Diameter Available:

150mm/6" 75mm/3"

Color & Grits:









Gray

Gray **P2500**

Gray **P3000**

Blue P5000

Qty/Box

Ordering Code:

FF19

6 NH

Size: Holes: 150mm

3: 75mm 1000 015 Grits P1000 P1200 P1500 P2000

> P5000 P8000

15pcs 020: P2500 20pcs P3000

FF19 Flexpro finishing foam disc is an essential tool for removing sanding scratches before applying rubbing compound, especially in a spot repair system. Achieve unparalleled results with Flexpro finishing foam discs which are known for rapid cutting and consistent finishing due to the precise and patterned 3D mineral structures.

- · Super soft sanding and polishing with even pressure
- Provide Consistent scratch depth and pattern with a better finish
- · No damage or over-sanding to treated surfaces
- Super flexible for sanding and polishing on contour or curved surfaces
- · Comfortable while sanding and polishing
- · Reduce the time on compound polishing
- · Washable and reusable for wet or dry sanding









Model: FF19 Flexpro Finishing Foam Discs Size: 75mm (3")/150mm (6") + 3mm foam pad

Grain: Silicon Carbide Minerals

Backing: Foam + Film Coating: Open Coat Bond: Resin to Resin

Perforation: No Hole, Ideal for Wet Sanding

Color: Blue & Grey

Fastening: Hook-and-loop for air/powered sanders

Grit Options: P1000-P8000

Standard: FF19-150mm-NH

Diameter	Grits	Qty/Box	Qty/Carton
150mm/6"	P2000	15pcs	450pcs
150mm/6"	P2500	15pcs	450pcs
150mm/6"	P3000	15pcs	450pcs
150mm/6"	P5000	15pcs	450pcs
	150mm/6" 150mm/6" 150mm/6"	150mm/6" P2000 150mm/6" P2500 150mm/6" P3000	150mm/6" P2000 15pcs 150mm/6" P2500 15pcs 150mm/6" P3000 15pcs







Spotfix

Born for spot repair

32MM PSA MINI FILM Daisy Discs



SpotfixSPOT REPAIR DISCS FD8 | 32MM PSA FILM

FD8 Spotfix Film Disc is ideal for spot repair which is used to correct small paint defects, polish small areas with extreme precision, and remove dust particles on glazes and clear coat.

The spot repair discs are backed with PET film that is durable for heavy-duty polishing and suitable for wet sanding. The Sporfix film discs are PSA-backed with sticky pressure-sensitive adhesive which allows fast-change for easily using.

FD8 Spot repair discs are made of premium silicon carbide grain and come with grits options: P2000, P3000, and P5000 which deliver superfine finishing results, the Spotfix film discs are wildly used at car plants in the finessing- and hospital areas of the paint shops, also used in the automotive refinish processes.

Color & Grit:







Gray P3000



Blue P5000

Applications:







Boat Repairing



Composite Processing

Ordering Code:

FD8

32 |Size:

32:

R: 2000 500

in roll

| Grits | P2000 | P3000 | P5000 **Qty** 100: 100pcs

500: 500pcs

Product Video Watch



Model: FD8 Spotfix PSA Film Discs for Spot Repair

Size: 32mm (1-1/4")

Grain: Silicon Carbide Minerals
Backing: PSA + PET Film
Coating: Closed Coat
Bond: Resin to Resin

Perforation: No Hole, Ideal for Wet Sanding


Color: Green/Gray/Blue

Fastening: PSA for sanders or hand tools **Grit Options:** P2000/P3000/P5000

Standard: FD8-32mm-PSA-FILM

Art. Number	Diameter	Grits	Color	Qty/Roll
FD832R2000	32mm	P2000		500pcs
FD832R3000	32mm	P3000		500pcs
FD832R5000	32mm	P5000		500pcs





EMT1 **SOFT EDGE FOAM MASKING TAPE** 13mmx50m




Fastplus soft edge foam masking tape EMT1 provides an easy and fast way to mask door jambs, hoods, trunk lids, and other apertures while being painted, preventing paint overspray from entering those areas. The foam tape provides a soft edge which allows the paint to transition gradually into the foam to prevent hard paint lines. The formulated adhesive is easily removed without residue and allows for repositioning while not perfectly positioned. This 13mmx50m (1/2"x 54 yards) soft-edge foam masking tape is ideal for automotive restoration and paint work.

Model: EMT1 Foam Masking Tape

EAN: 6111350000016

Roll Size: 13mmx50m (1/2"x 54 yard)



Sta	Standard: EMT1-13-50				
Art	. Number	Dimension	Fasten	Grade	Qty/Carton
EN	MT11350	13mmx50m	Adhesive	А	4pcs









FAC01 **SANDING BLOCKS** WITH VACUUM HOSE



Made-to-Order: Items Available

Size Available:

70x125mm | 70x200mm | 70x400mm

Ordering Code:

FAC01 70125

Size: 70125: 70x125mm

70200 70x200mm

70400: 70x400mm Qty/Box 050: 50ncs

100

100: 100pcs This hand block is designed for general purposes and it is well suited for the needs of ART body shops. Fastplus Hand Sanding Blocks are specially designed for sanding by hand in combination with Fastplus sanding sheets or strips. To ensure dust-free sanding the hand sanding block simply needs to be connected by hose to a dust extraction system.

Model: FACO1 Sanding Blocks

Type: Hand Sanding Color: Red and Black

Size: 70x125mm/70x200mm/70x400mm Fastening: Grip/Hook-and-Loop System

Technical Details Firmness: Hard Material: ABS Plastic

Dust-free: Hose Included to Connect Vacuum System

Standard: Art. Number Dimension **Fasten** Grade Qty/Carton FAC0170125 70x125mm Grip Α 100pcs FAC0170200 70x200mm Grip 100pcs FAC0170400 70x400mm Grip 50pcs

Sandpaper Recommended:



F737 Ceramic Sanding Roll 70mmx12m/172 Tear-offs Velcro Multihole P80-P600



F15 Gold Sanding Strips Ceramic 70mmx125mm Velcro 8H P60-P600





H&K BACKING PADSFOR ORBITAL SANDERS



Fastplus Backing pad is a perfect attachment that matches with 150mm hook-and-loop sanding discs and all commercially available orbital sanders. The sanding disc backing pad provides adequate cushioning for the highest sanding performance, increases abrasive discs' flexibility, and reduces wear and the risk of ergonomic injuries. Backing pads also help ensure the disc's maximum surface area is available for the project and the pressure is more evenly distributed, which provides the most even finish.

- Multihole Backing Pad: Fastplus backing pad is made into a multi-hole pattern which ensures compatibility with the hole pattern of sanding discs most commonly found in the market.
- Swirl-free Backing Pad: Fastplus back pad combines oscillation with its rotation, which helps to produce a swirl-free finish.
- **Hook-and-loop Backing Pad:** The sanding discs can be kept in place firmly and easily on the backing pad by means of a hook-and-loop fastener, and the abrasive discs can be changed or removed with ease by hand.
- **Dust-free Backing Pad:** the perforated pad with multiple vacuum holes provides a dust extraction option that enables orbital sanders to extract dust during sanding or polishing and keeps the workstation and the air clear from dust.
- Sander-compatible Backing Pad: Fastplus backing pads are compatible with all 150mm sanders and polishers with an M8 or 5/16" threaded shaft, such as orbital sanders or polishers from Mirka, Makita, Rupes, Bosch, Dewalt, and other main brands.

FBP1 150MM BACKING PAD



Model: FBP1 Backup Pad

Size: 150mm (6")

Screw: M8 5/16" thread **Type:** Hook-and-loop, Medium

Max RPM: 22,000 strokes/min.

Material: EPDM

Perforation: 44H, multi-hole pattern for sanding discs with 6 holes, 6+1 holes, 8 holes, 15 holes, 17 holes and

multi-holes

Fastening: Self-fastening for all standard orbital sanders

Color: Yellow foam + Black Velcro

Ordering Code:						
Art. Number	Diameter	Grade	Qty/Carton			
FBP115044H	150mm	А	50pcs			

FBP2 150MM BACKING PAD



Model: FBP2 Backup Pad

Size: 150mm (6")

Screw: M8 5/16" thread

Type: Hook-and-loop, Medium **Max RPM:** 12,000 strokes/min.

Material: EPDM

Perforation: 52H, multi-hole pattern for sanding discs with 6 holes, 6+1 holes, 8 holes, 15 holes, 17 holes and

multi-holes

Fastening: Self-fastening for all standard orbital sanders

Color: Yellow foam + Black Velcro

Ordering Code:					
Art. Number	Diameter	Grade	Qty/Carton		
FBP215052H	150mm	А	50pcs		



H&K INTERFACE PADSBETWEEN DISC AND BACKING PAD



Fastplus Interface Pad is expertly designed to fit seamlessly between the backing pad and sanding disc, allowing for greater flexibility and cushioning for contour and close-edge sanding. The interface pad reduces over-sanding high spots, increases abrasive cut, and enables more consistent contact of abrasive discs around surface contours, resulting in a perfectly fine and smooth finish. This remarkable interface pad is compatible with all types of sanding discs with dust collection holes, the hook and loop backing makes pad changes quick and easy.

- Reduces vibration from orbital sanders for improved results
- · Provide extra cushion for precision sanding
- Ideal for use with flexible film and foam sanding discs, also works perfectly with standard hook and loop sanding discs
- Applies effortlessly between H&K sanding discs and H&K backing pads for quick changeouts
- Universal hole pattern fits most sanders and helps clear dust, increasing disc life



FIF1 150MM INTERFACE PAD

Model: FIF1 Interface Pad

Size: 150mm (6")

Type: Hook-and-loop

Material: Foam/Sponge 10mm

Density: Soft

Perforation: 17H, multi-hole pattern for sanding discs

with 6 holes, 6+1 holes, 8 holes, 15 holes,

17 holes and multi-holes

Fastening: Self-fastening for all standard orbital sanders

Color: Black Hook + Red Loop

Ordering Code:Art. NumberDiameterGradeQty/CartonFIF115017H150mmA50pcs

FIF2 150MM INTERFACE PAD



Model: FIF2 Backup Pad

Size: 150mm (6")

Type: Hook-and-loop

Material: Foam/Sponge 10mm

Density: Soft

Perforation: 53H, multi-hole pattern for sanding discs

with 6 holes, 6+1 holes, 8 holes, 15 holes,

17 holes and multi-holes

Fastening: Self-fastening for all standard orbital sanders

Color: Black Hook + White Loop

Ordering Code:					
Art. Number	Diameter	Grade	Qty/Carton		
FIF215053H	150mm	А	50pcs		

Let's connect! #fastplus







Scan and Visit



Fastplus is increasing the product lines dramatically, please visit our site for more product information: fastplus.eu or email us.

Herzallee GmbH

(Trade as Fastplus)

Professor Messerschmitt Str. 24 86159 Augsburg Germany

Tel.: +49-160 9109 8838 Fax: +49-3212 1028877 Website: https://fastplus.eu Email: info@herzallee.com